

Printing date 02.09.2019

Safety Data Sheet

according to WHS Regulations

Revision: 02.09.2019

1 Identification

Product Name: KLENZ-IN-ONE

Other Means of Identification: Mixture Other Name: Phosphoric acid solution containing iodine and surfactants

Recommended Use of the Chemical and Restriction on Use: Low foam dairy cleaner / sanitiser

Details of Manufacturer or Importer: DASCO Pty Ltd 24 - 26 Helen Street Heidelberg Heights VIC 3081

Phone Number: 03 9459 7004

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Skin Corrosion/Irritation 1B	H314	Causes severe skin burns and eye damage.
Serious Eye Damage/Irritation 1	H318	Causes serious eye damage.



Acute Toxicity (Inhalation) 4

H332 Harmful if inhaled.

Aquatic Acute 3

H402 Harmful to aquatic life.

Signal Word Danger

Hazard Statements

H332 Harmful if inhaled. H314 Causes severe skin burns and eye damage. H402 Harmful to aquatic life.

Precautionary Statements

i recautionary ota	
P260	Do not breathe dusts or mists.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).

Page 1/7

Page 2/7

Safety Data Sheet

according to WHS Regulations

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

	(Contd. of page 1)
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

	Phosphoric acid	>60%
	 Skin Corrosion/Irritation 1B, H314; Serious Eye Damage/Irritation 1, H318; Acute Toxicity (Inhalation) 4, H332 	
CAS: 111-76-2	Ethanol, 2-butoxy-	<10%
	Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/ Irritation 2A, H319; Flammable Liquids 4, H227	
CAS: 7553-56-2	lodine	<1%
	Aquatic Acute 1, H400; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation, burning sensation in the chest, cough, laboured breathing, shortness of breath, sore throat and loss of consciousness.

Skin contact: Causes severe skin burns, blisters and redness. May cause cyanosis or pale skin.

Eye contact: Causes serious eye damage. May cause redness and blurred vision.

Ingestion: May cause irritation or burns to the mouth, throat and stomach. May cause abdominal cramps, burning sensations, nausea, vomiting, intense thirst, weak and rapid pulse, shallow breathing, weakness, confusion, loss of consciousness, reduced urine output and death. Aspiration of froth into the lungs may cause chemical pneumonitis and pulmonary oedema.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine water spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of phosphorus and carbon, hydrogen iodide and iodine. This product is not flammable, but may decompose in a fire. Contact with metals may generate flammable hydrogen gas.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers. (Contd. on page 3)

according to WHS Regulations

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

(Contd. of page 2)

Revision: 02.09.2019

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Increase ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Reacts violently with bases.

Reacts with strong oxidising agents.

May be corrosive to metals.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in original container in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from physical damage and direct sunlight. Keep away from bases including carbonates and bicarbonates, oxidising agents, mercaptans, epoxides, azo compounds, organic sulphides, metals and wood.

8 Exposure Controls and Personal Protection		
Expo	sure Standards:	
CAS:	7664-38-2 Phosphoric acid	
WES	STEL: 3 mg/m ³ TWA: 1 mg/m ³	
CAS:	111-76-2 Ethanol, 2-butoxy-	
WES	STEL: 242 mg/m³, 50 ppm TWA: 96.9 mg/m³, 20 ppm Sk	
CAS:	7553-56-2 lodine	
WES	Peak limitation: 1 mg/m³, 0.1 ppm	

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Page 3/7

Page 4/7

Safety Data Sheet

according to WHS Regulations

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

(Contd. of page 3)

Revision: 02.09.2019

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Impervious overalls, plastic apron, sleeves and boots should be worn when handling industrial quantities. See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Mobile liquid
Colour:	Dark
Odour:	Mild detergent and iodine odour
Odour Threshold:	No information available
pH-Value:	~1
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	> 100 °C
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Density:	No information available
Relative Density at 20 °C:	1.38
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible in all proportions
Partition Coefficient (n-octanol/water)	
% Volatiles by Volume:	~40 %
VOC:	<10 %
¥00.	

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur. Reacts violently with bases. Reacts with strong oxidising agents. May be corrosive to metals. Contact with carbonates or bicarbonates may generate carbon dioxide. Contact with metals may generate flammable hydrogen gas.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Physical damage to container, direct sunlight and heat.

Incompatible Materials:

Bases including carbonates and bicarbonates, oxidising agents, mercaptans, epoxides, azo compounds, organic sulphides, metals and wood.

according to WHS Regulations

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

Revision: 02.09.2019

(Contd. of page 4)

Hazardous Decomposition Products: Oxides of phosphorus and carbon, hydrogen iodide and iodine.

11 Toxicological Information

Toxicity:	1	
LD ₅₀ /LC ₅₀	₀ Values R	elevant for Classification:
CAS: 76	64-38-2 Ph	osphoric acid
Oral	LDLo	220 mg/kg (human) (man)
	LD₅₀	1530 mg/kg (rat)
Dermal	LD₅₀	2740 mg/kg (rabbit)
Inhalatior	n LC₅₀/1 h	>850 mg/m³ (rat)
CAS: 11	1-76-2 Eth	anol, 2-butoxy-
	LC ₅₀	2900 mg/m³/7 hrs (rat)
Oral	LD₅₀	1167 mg/kg (mouse)
		917 mg/kg (rat)
	LDLo	143 mg/kg (human)
CAS: 75	53-56-2 loo	dine
Oral	LD ₅₀	14,000 mg/kg (rat)

Acute Health Effects

Inhalation:

Harmful if inhaled. May cause respiratory irritation, burning sensation in the chest, cough, laboured breathing, shortness of breath, sore throat and loss of consciousness.

Skin: Causes severe skin burns, blisters and redness. May cause cyanosis or pale skin.

Eye: Causes serious eye damage. May cause redness and blurred vision.

Ingestion:

May cause irritation or burns to the mouth, throat and stomach. May cause abdominal cramps, burning sensations, nausea, vomiting, intense thirst, weak and rapid pulse, shallow breathing, weakness, confusion, loss of consciousness, reduced urine output and death. Aspiration of froth into the lungs may cause chemical pneumonitis and pulmonary oedema.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Ethanol, 2-butoxy- is classified by IARC as Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Prolonged exposure to phosphoric acid may affect the blood, liver and bone marrow.

Prolonged exposure to ethylene glycol monobutyl ether may affect the blood and bone marrow.

according to WHS Regulations

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

Existing Conditions Aggravated by Exposure:

Persons with kidney, lung or thyroid disease, or disfunction, should consult a physician before working with, or using, this product.

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity: Contains inorganic phosphates which will contribute to algal blooms.

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

CAS: 7664-38-2 Phosphoric acid

270 mg/l (activated sludge inhibition) EC₅₀

 $EC_{50}/48$ h >100 mg/l (daphnia)

EC₅₀/72 h >100 mg/l (scenedesmus subspicatus)

LC₅₀/96 h 138 mg/l (mosquito fish)

CAS: 111-76-2 Ethanol, 2-butoxy-

EC₅₀/48 h >1,000 mg/l (daphnia)

LC₅₀/96 h 1,490 mg/l (lepomis macrochirus)

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available. Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN1760
Proper Shipping Name ADG, IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, iodine)
Dangerous Goods Class ADG Class:	8 Corrosive substances.
Packing Group: ADG, IMDG, IATA	III
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	223, 274
Limited Quantities:	5L
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01

(Contd. on page 7)

Page 6/7

Revision: 02.09.2019

(Contd. of page 5)

according to WHS Regulations

TP1, TP28

Printing date 02.09.2019

Product Name: KLENZ-IN-ONE

Portable Tanks & Bulk Containers - Instructions: T7

Portable Tanks & Bulk Containers - Special

Provisions:

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 7664-38-2 Phosphoric acid

CAS: 111-76-2 Ethanol, 2-butoxy-

CAS: 7553-56-2 lodine

CAS: 7732-18-5 Water

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

16 Other Information

Date of Preparation or Last Revision: 02.09.2019

Last Revision of MSDS: 01.09.2009

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds LC₅₀: Lethal concentration, 50 percent LD₅₀: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Flammable Liquids 4: Flammable liquids - Category 4 Acute Toxicity (Inhalation) 4: Acute toxicity – Category 4 Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2 Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation - Category 1 Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation - Category 2A Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Page 7/7

Revision: 02.09.2019

(Contd. of page 6)

www.msds.com.au