

# Safety Data Sheet according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

#### 1 Identification

Product Name: REDENE (READY TO USE)

Other Means of Identification: Mixture

Other Name: lodophor teat dip and spray; dilute surfactant solution containing 0.5% available iodine Recommended Use of the Chemical and Restriction on Use: Teat dip and spray for dairy cows

#### **Details of Manufacturer or Importer:**

DASCO Pty Ltd 24 - 26 Helen Street

Heidelberg Heights VIC 3081 **Phone Number:** 03 9459 7004

Emergency telephone number: National Poison Information Centre: 13 11 26

## 2 Hazard(s) Identification

#### **Hazardous Nature:**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Aquatic Acute 3 H402 Harmful to aquatic life.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

## Signal Word None

#### **Hazard Statements**

H412 Harmful to aquatic life with long lasting effects.

## **Precautionary Statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

## 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Comp	ponents:	
CAS: 56-81-5	Glycerol	10%
	Alcohols, C12-C14-secondary, ethoxylated  Serious Eye Damage/Irritation 1, H318; Aquatic Chronic 2, H411; Skin Corrosion/Irritation 2, H315; Aquatic Acute 2, H401	<5%
CAS: 7553-56-2	Iodine  Aquatic Acute 1, H400; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332	0.5%

## 4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

(Contd. on page 2)

according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

**Product Name: REDENE (READY TO USE)** 

(Contd. of page 1)

## **Eye Contact:**

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

#### Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

## **Symptoms Caused by Exposure:**

Inhalation: May cause irritation, cough and shortness of breath. Iodine vapours are irritating from 0.1 ppm. Effects may be severe in sensitised individuals.

Skin contact: May cause mild skin irritation.

Eye contact: May cause mild eye irritation.

Ingestion: May cause gastric upset with nausea, vomiting and possible diarrhoea. Very large doses may be harmful, and may lead to thyroid insufficiency. Aspiration of fluid into lungs during swallowing or vomiting may cause chemical pneumonitis (irritation of lung tissues) and pulmonary oedema. Onset of symptoms may be delayed.

## **5 Fire Fighting Measures**

Suitable Extinguishing Media: Water fog or fine water spray.

## **Specific Hazards Arising from the Chemical:**

No fire or explosion hazard exists. Hazardous combustion products include iodine, hydrogen iodide and carbon dioxide.

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

## Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

## Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

## 7 Handling and Storage

## **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

## **Conditions for Safe Storage:**

Store in original container in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from physical damage and direct sunlight and heat. Keep away from oxidising agents.

(Contd. on page 3)

## according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

**Product Name: REDENE (READY TO USE)** 

(Contd. of page 2)

## 8 Exposure Controls and Personal Protection

Expo	Exposure Standards:		
CAS:	56-81-5 Glycerol		
WES	TWA: 10 mg/m <sup>3</sup>		
CAS:	7553-56-2 lodine		

WES Peak limitation: 1 mg/m³, 0.1 ppm

#### **Engineering Controls:**

Ensure adequate ventilation of the workplace. If handling industrial quantities, or if aerosol risk exists, provide exhaust ventilation or other engineering controls to keep the airborne concentrations as low as possible.

#### **Respiratory Protection:**

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Impervious overalls, plastic apron and boots should be worn when handling industrial quantities. See Australian/New Zealand Standard AS/NZS 4501 for more information.

## **Eye and Face Protection:**

Eye and face protectors for protection against splashing materials or liquid. See Australian/New Zealand Standard AS/NZS 1337 for more information.

## 9 Physical and Chemical Properties

Appearance:

Form: Slightly frothing liquid

Colour: Dark brown Odour: lodine odour

Odour Threshold: No information available

**pH-Value**: 3 - 5

Melting point/freezing point: No information available

Initial Boiling Point/Boiling Range: From 100 °C Flash Point: From 100 °C Not applicable

Flammability: Product is not flammable.

Auto-ignition Temperature: No information available

Decomposition Temperature: No information available

**Explosion Limits:** 

Lower: Not applicable Upper: Not applicable

Vapour Pressure:No information availableDensity:No information available

Relative Density: 1 g/mL

Vapour Density:No information availableEvaporation Rate:No information available

Solubility in Water: Miscible

**Partition Coefficient (n-octanol/water):** No information available **% Volatiles by Volume:** About 93 % (mostly water)

(Contd. on page 4)

according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

Product Name: REDENE (READY TO USE)

(Contd. of page 3)

VOC: <1 %

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: May react with strong oxidising agents.

Chemical Stability: Stable under normal conditions.

Conditions to Avoid: Heat and light.

Incompatible Materials: Oxidising agents.

Hazardous Decomposition Products: lodine and hydrogen iodide.

## 11 Toxicological Information

## **Toxicity:**

LD <sub>50</sub> /LC <sub>50</sub> Values Relevant for Classification:	
CAS: 56-81-5 Glycerol	
Oral LD₅₀ 12,600 mg/kg (rat)	
CAS: 7553-56-2 lodine	
Oral LD <sub>50</sub> 14,000 mg/kg (rat)	

#### **Acute Health Effects**

#### Inhalation:

May cause irritation, cough and shortness of breath. Iodine vapours are irritating from 0.1 ppm. Effects may be severe in sensitised individuals.

**Skin:** May cause mild skin irritation. **Eye:** May cause mild eye irritation.

## Ingestion:

May cause gastric upset with nausea, vomiting and possible diarrhoea. Very large doses may be harmful, and may lead to thyroid insufficiency. Aspiration of fluid into lungs during swallowing or vomiting may cause chemical pneumonitis (irritation of lung tissues) and pulmonary oedema. Onset of symptoms may be delayed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.

## Carcinogenicity:

This product does NOT contain any IARC listed chemicals.

lodinated glycerol is reported as neoplastic and carcinogenic by RTECS criteria (oral: rat, mouse).

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

#### **Chronic Health Effects:**

Repeated exposure to iodine may lead to thyroid insufficiency.

Overexposure to iodine may also lead to sensitisation and allergy, skin rash, swelling of the vocal chords, a general allergic reaction, and pain and swelling in the joints.

Chronic exposure to iodine may cause tremors, insomnia, rapid heart beat, weight loss and iodism

(Contd. on page 5)

according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

**Product Name: REDENE (READY TO USE)** 

(Contd. of page 4)

(characterised by salivation, nasal discharge, sneezing, conjunctivitis, fever, laryngitis, bronchitis, stomatitis and skin rashes).

## **Existing Conditions Aggravated by Exposure:**

Pre-existing skin disorders, thyroid dysfunction ad sensitivity to iodine.

## 12 Ecological Information

## **Ecotoxicity:**

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Persistence and Degradability: This product is considered to be biodegradable.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

**Disposal Methods and Containers:** Dispose according to applicable local and state government regulations.

## Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

## 15 Regulatory Information

Australian Inventory of Chemical Substances:	
CAS: 7732-18-5	Water
CAS: 56-81-5	Glycerol
CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated
CAS: 7553-56-2	lodine

## Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Not Scheduled.

## 16 Other Information

Date of Preparation or Last Revision: 05.02.2020

Last Revision of MSDS: 01.09.2009

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

#### Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds LC<sub>50</sub>: Lethal concentration, 50 percent LD<sub>50</sub>: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

## Safety Data Sheet according to WHS Regulations

Printing date 05.02.2020 Revision: 05.02.2020

**Product Name: REDENE (READY TO USE)** 

(Contd. of page 5)

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Dermal) 4: Acute toxicity - Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation - Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Acute 3: Hazardous to the aquatic environment, short-term (Acute). Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

#### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.