

SAFETY DATA SHEET

Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Corporate Energy Australia

Ph: 07 3203 2833 Fax: 07 3203 3700

Product: Vacuum Pump Oil

1. Product Identification

Product Details

Product Identifier Vacuum Pump Oil

Product Code 7070 Recommended Use Industrial Oil

Manufacturer or Supplier Details

Corporate Energy Australia Pty Ltd Supplier

(ABN 72 082 678 484)

Address Cnr Boundary Rd & Potassium St, NARANGBA, QLD, 4504

Telephone +61 7 3203 2833 (Business Hours)

+61 7 3203 3700 Fax

Emergency Telephone Number 07 3203 2833

Email info@otechaustralia.com.au

2. Hazard(s) Identification

GHS Classification

Not classified as hazardous under the Globally Harmonised System (GHS)

GHS Label Elements

Hazard Pictogram No hazard symbol required

Signal Word No signal word

Hazard Statements

Physical Hazards Not classified as a physical hazard under GHS criteria Not classified as a health hazard under GHS criteria Health Hazards

Environmental Hazards Not classified as an environmental hazard under GHS criteria

Precautionary Statements

Prevention Not applicable Response Not applicable Storage Not applicable Disposal Not applicable Supplemental label elements Not applicable

Other hazards which do not result

Prolonged or repeated skin contact without proper cleaning can clog the pores of the in classification skin resulting in disorders such as oil acne/folliculitis. Used oil may contain harmful

impurities.

3. Composition / Information on Ingredients

Chemical Nature: Highly refined mineral oils and proprietary performance additives.

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346

Issue Date: 26 October 2021 Issued by: Corporate Energy Australia Page 1 of 7



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

SAFETY DATA SHEET

Product: Vacuum Pump Oil

Ingredients:

Ingredient	% (w/w)	CAS Number
Base oil - unspecified	>75 - <95	Varies – See Abbreviations Section 16
Additives – not hazardous	>5 - <25	Not applicable

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First Aid Measures

Eye contact: Flush eye with copious quantities of water.

If persistent irritation occurs, obtain medical attention. No treatment necessary under normal conditions of use.

Inhalation:

If symptoms persist, obtain medical attention.

Skin contact: Remove contaminated clothing. Flush exposed area with water and follow by washing

with soap if available.

If persistent irritation occurs, obtain medical attention.

If swallowed: In general no treatment is necessary unless large quantities are swallowed. Do not

induce vomiting and obtain medical advice.

Most important symptoms and

effects, both acute and delayed:

Oil acne/folliculitis signs and symptoms may include formation of black pustules and

spots on the skin of exposed areas.

Swallowing may result in nausea, vomiting and/or diarrhoea.

Protection of first-aiders: When administering first aid, ensure that you are wearing the appropriate personal

protective equipment according to the incident, injury and surroundings.

Notes to physician: Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

5. Fire Fighting Measures

Suitable extinguishing

equipment: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may

be used for small fires only.

Unsuitable extinguishing

equipment: Do not use water in a jet.



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

SAFETY DATA SHEET

Product: Vacuum Pump Oil

Specific hazards during firefighting:

Combustible liquid. In a fire, or if heated, a pressure increase will occur and the container may burst with the risk of a subsequent explosion.

May produce toxic fumes if burning including possibly carbon monoxide, airborne solid and liquid particulates and gases and unidentified organic and inorganic

compounds.

Special protective equipment and precautions for firefighters:

Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Positive pressure Self-Contained Breathing Apparatus and full turn out gear should

be worn.

HazChem Code: None

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Environmental precautions:

Avoid contact with skin and eyes, use appropriate personal protective equipment.

Evacuate surrounding areas if necessary. Remove all ignition sources.

Stop leak if without risk. Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately.

Reclaim liquid directly or in an absorbent.

Soak up residue with an absorbent such as clay, sand or other suitable material and

dispose of properly.

7. Handling and Storage

Precautions for safe handling: Use in a well ventilated area.

Wear appropriate protective equipment (See Section 8) and clothing to avoid

inhalation of fumes or mist and contact with skin and eyes.

Containers not in use should be closed.

Do not smoke.

Always wash hands after handling and prior to eating, drinking, smoking or using the

toilet.

Conditions for safe storage, including any incompatibilities:

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purposes of storage and

handling.

Store in a cool, well ventilated area away from heat and other sources of ignition,

oxidising agents, foodstuffs, and out of direct sunlight.

Keep containers securely sealed and protect against damage.

8. Exposure Control / Personal Protection

National Exposure Standards: No exposure standard has been established, however, the TWA National

Occupational Health and Safety Commission (NOHSC) exposure standard for oil mist is 5 mg/m³. As with all chemicals, exposure should be kept to the lowest possible level.

Issue Date: 26 October 2021 Issued by: Corporate Energy Australia Page 3 of 7



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

SAFETY DATA SHEET

Product: Vacuum Pump Oil

Not available **Biological limit values:**

Engineering Controls: Ventilation - Use in well ventilated areas. Where ventilation is inadequate, a local

exhaust ventilation system is required.

Personal Protective Equipment

Respiratory Protection: Normally not required, however if mists or vapours are generated in a poorly

ventilated area an approved respirator with a replaceable vapour/mist filter is

Eye Protection: Safety glasses with side shields, goggles or full face mask as appropriate. Individual

circumstances will dictate the final choice of protection.

Skin / Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or

safety boots when handling this product. It is recommended that chemical resistant

gloves (e.g. PVC) be worn when handling this product.

9. Physical and Chemical Properties

Appearance amber Not available **Melting Point Boiling Point** Not available Not available Vapour Pressure Solubility in Water Insoluble

pH Value Not applicable

68 Viscosity @ 40°C Viscosity @ 100°C 8.8 **Specific Gravity** 0.884 Flash Point >210

Flammability Combustible Liquid

Auto Ignition Not available

Temperature

Flammable Limits Not available

10. Stability and Reactivity

Reactivity: No specific test data available for this product. Refer to Conditions to avoid and

Incompatible materials for additional information.

Chemical stability: Stable under normal conditions of storage and handling.

Possibility of hazardous

reactions:

Reacts with strong oxidising agents.

Conditions to avoid: Heat, direct sunlight, open flames or other sources of ignition.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition Under normal conditions of storage and use hazardous decomposition products are not **Products:**

expected to be produced.

Issue Date: 26 October 2021 Issued by: Corporate Energy Australia Page 4 of 7



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

SAFETY DATA SHEET

Product: Vacuum Pump Oil

11. Toxicological Information

Information given is based on data on the components and the toxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for the individual component(s). Skin and eye contact are the primary routes of exposure although exposure may occur following accidental swallowing.

Acute toxicity Acute oral toxicity: LD50 rat: >5,000 mg/kg. Expected to be of low toxicity.

Acute inhalation toxicity: Not considered to be an inhalation hazard under normal

conditions of use.

Acute dermal toxicity: LD50 rabbit: >5,000 mg/kg. Expected to be of low toxicity.

Skin corrosion/irritation Expected to be slightly irritating. Prolonged or repeated skin contact without proper

cleaning can clog the pores of the skin resulting in disorders such as oil

acne/folliculitis.

Serious eye damage/eye

irritation

Expected to be slightly irritating

Respiratory or skin

sensitization

Not expected to be a skin sensitiser.

Germ cell mutagenicity

Carcinogenicity

Not considered a mutagenic hazard. Not expected to be carcinogenic.

Product contains mineral oils of types shown to be non-carcinogenic in animal skin-

painting studies. Highly refined mineral oils are not classified as carcinogenic by the

International Agency for Research on Cancer (IARC).

Reproductive toxicity Not expected to impair fertility. Not expected to be developmental toxicant.

STOT – single exposure Not expected to be a hazard.

STOT – repeated exposure Not expected to be a hazard.

Aspiration toxicity Not considered an aspiration hazard.

Further information USED oils may contain harmful impurities that have accumulated during use.

The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal. ALL used oil should be handled with caution

and skin contact avoided as far as possible.

12. Ecological Information

Eco toxicological data has not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

Ecotoxicity

Toxicity to fish (Acute toxicity)

Expected to be practically non-toxic.

Toxicity to crustacean (Acute toxicity)

Expected to be practically non-toxic.

Toxicity to algae/aquatic plants (Acute

Expected to be practically non-toxic.

toxicity)

Toxicity to fish (Chronic toxicity)

Data not available.

Toxicity to crustacean (Chronic toxicity)

Data not available.

Toxicity to microorganisms (Acute toxicity)

Data not available.



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

SAFETY DATA SHEET

Product: Vacuum Pump Oil

Persistence and degradability

Biodegradability Expected to be not readily biodegradable. Major constituents are expected

to be inherently biodegradable, but contains components that may persist

in the environment.

Bioaccumulative potential

Bioaccumulation Contains components with the potential to bio accumulate.

Partition coefficient: n- Pow: >6 based on information on similar products.

octanol/water

Mobility in soil

Mobility Liquid under most environmental conditions. If it enters soil, it will adsorb

to soil particles and will not be mobile.

Floats on water.

Other adverse effects

Additional ecological information Product is a mixture of non-volatile components which are not expected to

be released to air in any significant quantities.

Not expected to have ozone depletion potential, photochemical ozone

creation potential or global warming potential.

Poorly soluble mixture. May cause physical fouling of aquatic organisms. Mineral oil is not expected to cause any chronic effects to aquatic

organisms at concentrations less than 1 mg/l.

13. Disposal Considerations

Disposal methods

Waste from residues Waste product should not be allowed to contaminate soil or ground water or

be disposed of into the environment.

Disposal should be in accordance with applicable regional, national and local

laws and regulations.

Contaminated packaging Dispose in accordance with prevailing regulations, preferably to a recognised

collector or contractor. The competence of the collector or contractor should

be established beforehand.

Special precautions for landfill or

incineration

No additional special precautions identified.

14. Transport Information

National Regulations

ADG Not regulated as a dangerous good.

International Regulations

IATA-DGR Not regulated as a dangerous good. IMDG-DGR Not regulated as a dangerous good.

Issue Date: 26 October 2021 Issued by: Corporate Energy Australia Page 6 of 7



Cnr Boundary Road & Potassium Street NARANGBA QLD 4504

Ph: 07 3203 2833 Fax: 07 3203 3700

Page 7 of 7

SAFETY DATA SHEET

Product: Vacuum Pump Oil

15. Regulatory Information

Standard Uniform Schedule of Medicine and Poisons

Not scheduled

Model Work Health and Safety Regulations - Scheduled Substances

Not listed

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code)

Not regulated

Australia (AICS)

All components of this product are listed on the Inventory or exempted.

16. Other information

Date of Issue Wednesday, December 21, 2016

Abbreviations ADG = Australian Dangerous Goods

GHS = Globally Harmonised System of Classification and Labelling of chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk container

IMDG = International Maritime Dangerous Goods

STEL = Short term exposure limit TWA = time weighted average

Varies = may contain one or more of the following 101316-69-2, 101316-70-5, 101316-71-6, 101316-72-7, 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64741-97-5, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-64-9, 64742-65-0, 64742-70-7,

72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 90669-74-2

Other Information

The information contained in this SDS is as accurate as we can ascertain at this time. However, as the information is gleaned from a number of third party sources, Otech Lubricants can make no warranty, guarantee or statement as to the reliability or completeness of the information. Otech Lubricants will not accept liability of any damages whatsoever arising from the reliance of this information. It is the responsibility of the person handling the product to satisfy themselves as to the suitability and completeness of such information for their own use.

...END OF SDS...